

OFERTA

contact@ancsolutions.ro<http://www.ancsolutions.ro>

Tel. 0745 30 00 66

Andreea Serban



DENUMIRE PRODUS	LEI fara TVA	
	>1bc	>5bc
PLACI DE BAZA INTEL - 3 ani garantie		
D915PBLL ATX , Intel® 915P Express Chipset, Dual-channel DDR2-533 memory support, LGA775 socket, PCI Express* x16 graphics, Intel® High Definition Audio (8-channel), 2 PCI Express* x1 expansion slots, Intel® Matrix Storage Technology (RAID 0/1), 1394a, back panel USB 2.0/1394A card, front panel USB 2.0/1394A/audio card, Intel® PRO 10/100 LAN	396,29	388,52
D915GEVL ATX , Intel® 915G Express Chipset, Dual-channel DDR2-533 memory support, LGA775 socket support, Intel(r) Graphics Media Accelerator 900, PCI Express* x16 graphics, Intel® High Definition Audio (6-channel), 2 PCI Express* x1 expansion slots, Intel® PRO 10/100 LAN	357,74	350,72
D915GAGL mATX , Intel® 915G Express Chipset, Dual-channel DDR-400 memory support, LGA775 socket support, Intel(r) Graphics Media Accelerator 900, PCI Express* x16 graphics, Intel® High Definition Audio (6-channel), 1 PCI Express* x1 expansion slot, Intel® PRO 10/100 LAN	347,19	340,38
D915PCML mATX , Intel® 915P Express Chipset, Dual-channel DDR2-533 memory support, LGA775 socket support, PCI Express* x16 graphics, Intel® High Definition Audio (6-channel), 1 PCI Express* x1 expansion slot, Intel® PRO 10/100 LAN	329,66	323,19
D925XECV2LK ATX , Intel® 925XE Express Chipset, 1066/800MHz FSB, Dual-channel DDR2-533 memory support, LGA775 socket, PCI Express* x16 graphics, Intel® High Definition Audio (8-channel), 2 PCI Express* x1 expansion slots, Intel® Matrix Storage Technology (RAID 0/1), 1394a, Gigabit LAN. Includes the following software: Intel(R) Audio Studio, Intel(R) Desktop Control Center (download), Musicmatch* Jukebox, GameSpy* Arcade, Intel® Desktop Utilities, Norton Internet Security*, LANDesk System Manager (download), InterVideo* Home Theater Silver, InterVideo* WinDVD Creator Silver, Farstone* RestoreIT! Lite, and NTI* CD-Maker	638,30	625,77
D945GTPL mATX , Intel® 945G Express Chipset, Dual Channel DDR2 667/533/400 SDRAM, Intel® Graphics Media Accelerator 950, Intel® Pentium® D Processors, Intel® Pentium® 4 Processor & Intel® Celeron® D Processor - LGA775, 1066/800/533 MHz Bus, Intel® EM64T, PCI Express* x16, two PCI connectors, one PCI Express* x1 connectors, up to 8 Hi-Speed USB 2.0 ports (4 back ports), Intel® High Definition Audio enabling 5.1 Surround Sound, Intel® PRO 10/100 Network Connection and four SATA ports (3.0 Gb/s).	392,80	385,10
D945PVSLKR ATX , Intel® 945P Express Chipset, Dual Channel DDR2 667/533/400 SDRAM, Intel® Pentium® D Processors, Intel® Pentium® 4 Processor & Intel® Celeron® D Processor - LGA775, 1066/800/533 MHz Bus, Intel® EM64T, Intel(R) Matrix Storage Technology (NCQ, Hot Plug, RAID 0, 1, 10, 5 and Matrix RAID), PCI Express* x16, four PCI connectors, two PCI Express* x1 connectors, up to 8 Hi-Speed USB 2.0 ports (4 back ports), up to three IEEE-1394a ports (1 back port), Intel® High Definition Audio enabling 7.1 Surround Sound, four SATA ports (3.0 Gb/s), Intel® PRO 10/100/1000 Network Connection.	487,47	477,92
PLACI DE BAZA ASROCK - 2 ani garantie		
INTEL		
P4VM800 , Socket 478, VIA PM800 chipset, FSB800, AGP8x, 3xPCI, 2xDDR400, 8xUSB 2.0, 2 x SeialATA, RAID,0,1,JBOD, SATA HDD Hotplug, Video Integrated UniChrome Max. 64Mb, Audio CMedia CMI9761 6 channel AC'97, LAN, AMR, 4Mb AMI BIOS, Micro ATX board[7]	132,44	129,84
P4V88+ , Socket 478, VIA PT800, FSB800HT, AGP 8x, SATA RAID 0,1, 4 x DDR400 up to 4GB, AC97 - 6 channel, LAN, ATX, suporta Prescott	132,44	129,84
P4I65PE , Socket 478, INTEL 865PE Chipset, FSB 800, AGP 8X, 5xPCI, 4xDDR400, 6xUSB2.0, 2xSATA, LAN, AMR, Audio AC97 8ch, ATX board	189,21	185,51

775V88+ , Socket LGA775, VIA PT880 chipset, FSB800, AGP8x, 5xPCI, 4xDDR400, 8xUSB 2.0, 2 x SeialATA, RAID,0,1,JBOD, SATA HDD Hotplug, Audio CMedia CMI9761 6 channel AC'97, LAN, 2Mb AMI BIOS, ATX board[9]	159,97	156,82
775VM800 , Socket LGA775, VIA P4M800 chipset, FSB800, AGP8x, 3xPCI, 2xDDR400, 8xUSB 2.0, 2 x SeialATA, RAID,0,1,JBOD, SATA HDD Hotplug, Video Integrated UniChrome Max. 64Mb, Audio CMedia CMI9761 6 channel AC'97, LAN, AMR, 4Mb AMI BIOS, Micro ATX board[11]	159,97	156,82
775I48 , INTEL 848P , LGA775, Prescott ready, FSB 800Mhz , 2*DDR400 ,1*AGP 8x / 5*PCI ,SATA, 6ch , Lan , ATX , USB2.0	165,14	161,89
775I65PE , INTEL 865PE, LGA775 ,FSB800 , 4*DDR400 -Dual Ch , Serial ATA 1.5Gb/s 1xAGP/ 5xPCI 8 Ch SB , LAN on board - ATX	211,57	207,43
AMD		
K8UPGRADE-NF3 S-754 NVIDIA NFORCE3 250 Chipset FSB 800 AGP 8X 4xPCI 2xDDR400 8xUSB 2.0 2x SATA RAID 01Audio AC97 8ch LAN Micro ATX board	173,73	170,34
K8NF4G-SATA2 , S754, GFORCE6100, mATX, 1xPCI-E 16x, 1xPCI-E 1x, 2x PCI, 4x USB 2.0, 2x DDR400, Video Integrated NV44 Max. 128MB, 7.1 ALC850, LAN, AMR	194,38	190,58
PLACI DE BAZA GIGABYTE - 3 ani garantie		
INTEL		
GA-8I848P-G 848P/ICH5 S478 ATX, FSB 800/533/400FSB, 3*DDR 400 MHz, AGP 8x, 5*PCI, 2*SATA+2*PATA, LAN Gigabit, AC'97 Sound	184,90	181,27
GA-8IPE1000G I865PE/ICH5 S478 ATX, FSB800/533/400, 4Dual channel DDR400/333/256,5xPCI,AGP8x, ALC650 sound,2xSATA+2xPATA,Lan Gigabit	232,83	228,28
GA-8IPE1000MK I865PE/ICH5 S478 mATX, FSB800/533/400, 4xDual channel DDR400+,3xPCI,AGP8x, SATA, ALC650 sound,Kinnereth LAN,2xSATA+2xPATA	239,68	234,99
GA-8IPE775-G 865PE/ICH5 S775 ATX , FSB800/533/400,4Dual channel DDR400,5xPCI,AGP 8x, AC97 sound,2xSATA,2xPATA, LAN Gigabit	261,94	256,80
GA-8I915G-MF 915G/ICH6 S775 mATX , FSB800/533,4Dual channel DDR400,video integrat,2xPCI,PCI-E X16, ALC880 sound,4xSATA,1xPATA, LAN Gigabit	304,74	298,74
GA-8I915PL-G 915P/ICH6 S775 ATX , FSB800/533,2Dual channel DDR400,2xPCI,3xPCI-E X16, ALC880 sound,4xSATA,1xPATA, LAN Gigabit	236,26	231,63
GA-8I915P-G 915P/ICH6 S775 ATX , FSB800/533,4Dual channel DDR400,2xPCI,3xPCI-E X16, ALC880 sound,4xSATA,1xPATA,Giga RAID, LAN Gigabit	332,13	325,62
GA-8I915P-Duo 915G/ICH6 S775 mATX , FSB800/533,4Dual channel DDRII,5xPCI,PCI-E x16, ALC880 sound,2xSATA,2xPATA,RAID, LAN Gigabit	294,46	288,68
GA-8I915G-Pro 915G/ICH6 S775 ATX , FSB 800/533,Dual channel DDR400,video integrat,5xPCI,PCI-E x16, ALC880 sound,2xSATA,2xPATA, Dual BIOS,LAN Gigabit	390,34	382,67
GA-8I925X-G 925X/ICH6R S775 ATX , FSB800/533,4Dual channel DDRII,5xPCI,PCI-E X16, ALC880 sound,4xSATA,1xPATA,RAID,Dual BIOS, LAN Gigabit	510,18	500,18
GA-8I945G-MF 945G/ICH7R S775 mATX , FSB 1066/800/533,Dual channel DDRII,video integrat,5xPCI,PCI-E x16, ALC880 sound,4xSATA II,LAN Gigabit	342,40	335,69
GA-8I945P-G 945P/ICH7R S775 ATX , FSB 1066/800/533,Dual channel DDRII,5xPCI,PCI-E x16, ALC880 sound,4xSATA II,LAN Gigabit	330,42	323,94
GA-8N-SLI Pro , nVidia Crush, S775, ATX, FSB 1066/800/533, 4Dual channel DDRII 667/533, 2xPCI, 2xPCI-E, 4xSATA+2xPATA, RAID, sound integrat, Lan Gigabit, 1394b	410,88	402,83
AMD		
GA-K8NSC-939 nForce 3 250, Socket 939, ATX, FSB800 , DDRAM400,5xPCI,AGP 8x, 2xSATA+2xPATA,AC97 sound,6xUSB 2.0,LAN	243,10	238,34
PROCESOARE INTEL - BOX - 3 ani garantie		
Celeron		
Celeron® D 320 mPGA478, 2400/533MHz, 256K, w/cooler	234,54	229,96
Celeron® D 325 mPGA478, 2533/533MHz, 256K, w/cooler	236,26	231,63
Celeron® D 330 mPGA478, 2667/533MHz, 256K, w/cooler	256,80	251,77
Celeron® D 335 mPGA478, 2800/533MHz, 256K, w/cooler	287,62	281,97
Celeron® 326J 2.53 256K 533 BOX LGA775	236,26	231,63
Celeron® 330J 2.66 256K 533 BOX LGA775	256,80	251,77
Celeron® 331J 2.66 256K 533 BOX LGA775 64BIT	256,80	251,77
Celeron® 336J 2.80 256K 533 BOX LGA775 64BIT	287,62	281,97
Pentium® 4		

Pentium® 4 2400/533MHz, 1M K, w/cooler Sk478, .13u	421,15	412,90
Pentium® 4 3000/800MHz, 1M K, w/cooler Sk478, .13u	609,47	597,52
Pentium® 4 531 3000 EM64T 1MB 800 w/cooler LGA775	606,05	594,17
Pentium® 4 541 3200 EM64T 1MB 800 w/cooler LGA775	739,58	725,07
Pentium® 4 630 3000/800MHz, 2M, w/cooler LGA775	606,05	594,17
Pentium® 4 640 3200/800MHz, 2M, w/cooler LGA776	743,01	728,46
PROCESOARE AMD BOX - 3 ani garantie		
SEMPRON SKT 754 tray - 1 an garantie		
Sempron 2600+ 1,600GHz BUS333 L1-128KB L2-256KB Socket 754 130nm 64Bit	200,30	196,37
Sempron 3000+ 1,800GHz BUS333 L1-128KB L2-256KB Socket 754 130nm 64Bit	273,58	268,20
ATHLON 64, SEMPRON SKT 754 & 939 - 3 ani garantie		
Sempron 2600+ 1,600GHz BUS333 L1-128KB L2-256KB Socket 754 130nm BOX 64Bit	211,95	207,80
Sempron 2800+ 1,600GHz BUS333 L1-256KB L2-256KB Socket 754 130nm BOX	248,24	243,38
Sempron 2800+ 1,600GHz BUS333 L1-256KB L2-256KB Socket 754 130nm BOX 64Bit	248,24	243,38
Sempron 3000+ 1,800GHz BUS333 L1-128KB L2-256KB Socket 754 130nm BOX 64Bit	299,60	293,71
Athlon64 2800+ 1,800MHz L1-128KB L2-512KB Socket 754 Newcastle BOX	383,49	375,96
Athlon64 3000+ 2,000MHz L1-128KB L2-512KB Socket 754 Newcastle BOX	475,94	466,59
Athlon64 3000+ 1,800MHz L1-128KB L2-512KB Socket 939 Winchester BOX	479,36	469,94
Athlon64 3200+ 2,000MHz L1-128KB L2-512KB Socket 939 Winchester BOX	585,50	574,03
Athlon64 3500+ 2,200MHz L1-128KB L2-512KB Socket 939 Winchester BOX	736,16	721,71
COOLER		
Cooler pentru procesor AMD socket A XP 3GHz	19,93	
Cooler pentru procesor P4 478 2.8GHz	23,63	
MEMORII ADATA - garantie lifetime		
Memorie DDRAM A-DATA		
Memorie 256MB PC3200 DDR 400MHz	71,25	69,85
Memorie 512MB PC3200 DDR 400MHz	137,37	134,67
Memorie DDRAM II A-DATA		
Memorie 256MB DDR II 533MHz	79,98	78,41
Memorie 512MB DDR II 533MHz	146,48	143,60
Memorie SODIMM DDRAM A-DATA		
Memorie SODIMM 256MB, DDRAM 400MHz	81,97	80,36
Memorie SODIMM 512MB, DDRAM 400MHz	166,03	162,78
MEMORII VDATA - garantie lifetime		
Memorie SDRAM V-DATA		
Memorie 128MB, SDRAM 133MHz	53,21	52,18
Memorie 256MB, SDRAM 133MHz	104,98	102,93
Memorie DDRAM V-DATA		
Memorie 128MB PC3200 DDR 400MHz	40,99	40,20
Memorie 256MB PC3200 DDR 400MHz	68,45	67,11
Memorie 512MB PC3200 DDR 400MHz	132,03	129,43
MEMORII EXTERNE ADATA - garantie lifetime		
A-DATA card		
MMC card 256Mb 100x	60,81	59,61
MMC card 512Mb 100x	103,37	101,35
MMC card 1Gb 100x	190,13	186,40
SD card 128Mb 60x	39,48	38,69
SD card 256Mb 60x	60,09	58,93
SD card 512Mb 60x	104,98	102,93
SD card 1Gb 60x	199,62	195,72
Mini SD card 256Mb 60x	67,42	66,08
Mini SD card 512Mb 60x	113,68	111,45

CF card 128Mb 80x	42,56	41,74
CF card 256Mb 80x	63,24	62,01
CF card 512Mb 80x	106,66	104,57
RS MMC card 256 Mb	61,02	59,82
RS MMC card 512 Mb	106,83	104,74
RS MMC card 128 Mb 1.8V + adaptor	40,99	40,20
RS MMC card 256 Mb 1.8V + adaptor	63,52	62,28
A-DATA memory stick		
Memorie Stick USB 2.0 128MB PD2 (plastic)	40,81	40,03
Memorie Stick USB 2.0 256MB PD2 (plastic)	63,21	61,97
Memorie Stick USB 2.0 512MB PD2 (plastic)	106,55	104,47
Memorie Stick USB 2.0 1GB PD2 (plastic)	203,76	199,76
Memorie Stick USB 2.0 2Gb PD2 (plastic)	404,72	396,77
Memorie Stick USB 2.0 256MB PD4 (aluminium)	64,75	63,48
Memorie Stick USB 2.0 512MB PD4 (aluminium)	107,96	105,84
Memorie Stick USB 2.0 1GB PD4 (aluminium)	205,20	201,16
Memorie Stick USB 2.0 256MB RB1 (cauciuc)	65,12	63,86
Memorie Stick USB 2.0 512MB RB1 (cauciuc)	109,88	107,72
Memorie Stick USB 2.0 1GB RB1 (cauciuc)	207,63	203,56
CARD READER		
Card reader SWEEX 4 IN 1 PCMCIA NB100010	38,12	37,36
Card reader SWEEX 6 IN 1 USB 2.0 EXTERN NB000080	17,45	17,09
Card reader SWEEX 16 IN 1 USB 2.0 EXTERN NB000110	32,70	32,06
PLACI VIDEO GIGABYTE - 3 ani garantie		
ATI RADEON		
ATI Radeon 9250 128MB DDRAM,128 bit, AGP 8x w/TV out,DVI-I,Twin-View, Hardware monitor bulk R925128D	152,37	149,39
ATI Radeon 9550 128MB DDRAM, 128 bit, AGP 8x w/TV out,DVI-I,Twin-View Retail R955128D	198,59	194,69
ATI Radeon 9550 256MB DDRAM, 128 bit, AGP 8x w/TV out,DVI-I,Twin-View Retail R955256D	219,14	214,86
ATI Radeon 9600XT 128MB DDRAM, 128 bit, AGP 8x w/TV out,DVI-I,Twin-View Retail R96X128D	520,45	510,24
ATI Radeon 9600Pro 128MB DDRAM, 128 bit, AGP 8x w/TV out,DVI-I,Twin-View Retail R96P128DE	253,38	248,41
ATI Radeon X800Pro 256MB DDRAM, 256 bit, AGP 8x w/TV out,DVI-I,Twin-View Retail R800P256D	1164,16	1141,32
ATI Radeon X800 256MB DDRAM, PCIE x16, w/DVI-I , TV out Retail RX80256D	667,68	654,60
NVIDIA		
NVIDIA GeForce FX-5200 128MB DDRAM, w/TV OUT, Bulk N52128DS	138,67	135,97
NVIDIA GeForce FX-5500 128MB DDRAM, w/TV OUT, Retail N55128D-P	212,29	208,11
NVIDIA GeForce 6600 128MB DDRAM, w/TV OUT,DVI Retail N66128DP	397,18	389,41
NVIDIA GF6200TC 256MB DDRAM, PCIE x16, w/TV OUT,DVI-I, Retail NX62TC256DE	188,32	184,62
NVIDIA N6600 128MB DDRAM, PCIE x16, w/TV OUT,DVI-I, Retail NX66128DP	345,82	339,04
NVIDIA N6600 256MB DDRAM, PCIE x16, w/TV OUT,DVI-I, Retail NX66256DP	393,76	386,06
NVIDIA GF6600GT, 128MB DDRAM, PCIE x16, w/TV OUT,DVI-I, Retail NX66T128D	510,18	500,18
NVIDIA GV-3D1-XL Dual GeForce 6600 256MB DDRAM, PCIE x16, w/TV OUT,DVI-I, Retail GV-3D1-XL	712,19	698,22
NVIDIA GV-3D1 Dual GeForce 6600GT 256MB DDRAM III, PCIE x16, w/TV OUT,DVI-I, Retail GV-3D1-XL	938,18	919,79
PLACI VIDEO ASUS - 3 ani garantie		
ATI RADEON		
ATI Radeon 9200SE, 128MB DDR, 64bit, TV, DVI, AGP 8X, retail	119,84	117,48
ATI Radeon 9250, 128MB DDR, 64bit, TV, AGP 8X, retail	124,98	122,51
ATI Radeon 9250GE, 128MB DDR, 128bit, TV, DVI, 2*VGA, AGP 8X, retail	171,20	167,84
ATI Radeon 9250GE, AGP 8X, 256Mb Tv-out DVI, 1*DVI / 2*VGA connectors	179,76	176,23
ATI 9550, AGP 8X, 128Mb TV-out , DVI , 2nd VGA	173,94	170,52
ATI 9550GE, AGP 8X, 128Mb TV-out , DVI , 2nd VGA	215,71	211,47
ATI 9550GE, AGP 8X, 256Mb TV-out , DVI , 2nd VGA	225,98	221,57
NVIDIA		

GeForce FX5200, AGP 8X, 128Mb 64bit TV-out	136,96	135,59
GeForce FX5200 - 128MB DDRAM wTV-out /DVI (128Bit)	184,90	183,08
Geforce 6200 128M TV + DVI	195,17	193,25
Geforce 6200 256M TV + DVI	248,24	245,77
GeForce FX6600, AGP 8X, 128Mb DDR TV-out , DVI	414,30	410,20
GeForce FX6600, AGP 8X, 256Mb DDR TV-out , DVI	451,97	447,48
GeForce PCI-E 6600 128M + TV + DVI	380,06	376,30
GeForce PCI-E 6600 256M + TV + DVI	431,42	427,14
FDD - 1 an garantie		
Floppy 1,44MB	19,55	19,35
Floppy 1,44MB Black	20,58	20,37
SERTAR HDD - 1 an garantie		
Sertar SWEEX Extern Enclosure 3.5" USB2.0 AG000020	90,39	
Sertar GEMBIRD HDD Intern ATA 66/100/133, ventilator, inchidere cu buton	18,83	
HDD		
MAXTOR - 1 an garantie		
MAXTOR 40GB 7200rpm 2MB	154,46	151,44
MAXTOR 80GB 7200rpm 2MB	177,19	173,73
MAXTOR 120GB 7200rpm 2MB	227,05	222,59
MAXTOR 80GB 7200rpm 8MB	189,21	185,51
MAXTOR 120GB 7200rpm 8MB	230,50	225,98
MAXTOR 160GB 7200rpm 8MB	254,57	249,58
MAXTOR 200GB 7200rpm 8MB	290,70	285,01
MAXTOR 80GB 7200rpm 8MB SATA	196,78	192,91
MAXTOR 120GB 7200rpm 8MB SATA	244,27	239,47
MAXTOR 160GB 7200rpm 8MB SATA	273,51	268,13
MAXTOR 200GB 7200rpm 8MB SATA	302,75	296,83
MAXTOR 250GB 7200rpm 16MB SATA	378,42	370,99
SEAGATE - 3 ani garantie		
SEAGATE 80GB 7200 rpm 2MB	177,19	173,73
SEAGATE 120GB 7200 rpm 2MB	237,39	232,73
SEAGATE 120GB 7200rpm 8MB	251,15	246,22
SEAGATE 160GB 7200rpm 8MB	274,88	269,50
SEAGATE 200GB 7200rpm 8MB	323,40	317,06
SEAGATE 80GB 7200rpm 8MB SATA	197,80	193,94
SEAGATE 120GB 7200rpm 8MB SATA	251,15	246,22
SEAGATE 160GB 7200rpm 8MB SATA	297,58	291,76
SEAGATE 200GB 7200rpm 8MB SATA	350,93	344,04
WESTERN DIGITAL - 3 ani garantie		
WD 40GB 7200RPM 8MB JB	168,56	166,06
WD 80GB 7200RPM 8MB JB	185,79	183,05
WD 120GB 7200RPM 8MB JB	242,56	238,96
WD 160GB 7200RPM 8MB JB	258,03	254,23
WD 200GB 7200RPM 8MB JB	294,16	289,81
WD 250GB 7200RPM 8MB JB	357,81	352,54
WD 80GB 7200RPM 8MB SATA JD	190,92	188,11
WD 120GB 7200RPM 8MB SATA JD	258,03	254,23
WD 160GB 7200RPM 8MB SATA JD	278,68	274,57
WD 200GB 7200RPM 8MB SATA JD	319,94	315,21
WD 250GB 7200RPM 8MB SATA JD	399,07	393,18
PLACI DE SUNET		
SWEEX - 1 an garantie		
Placa de sunet SWEEX 5.1 US000020	25,52	25,04
CREATIVE - 2 ani garantie		

Sound card AUDIGY SE, 7.1 surround output,EAX ADVANCED HD 3.0,24-bit/96kHz audio resolution,bulk	91,08	89,30
Sound card AUDIGY 4 bulk	187,19	183,53
UNITATI OPTICE - 2 ani garantie		
TEAC		
CD ROM 52X TEAC	50,61	49,61
CD-RW, 52x/32x/52x, ATAPI, Bulk	84,74	83,07
DVD-ROM 16x/48x , ATAPI , bulk	80,29	78,72
COMBO TEAC CD-RW/DVD 52x/32x/52x/16x, ATAPI, bulk	114,33	112,10
TEAC COMBO CD-RW/DVD 52x/32x/52x/16x, ATAPI, bulk , Black	117,82	115,53
DVD-RW TEAC DVD-/+ R/RW DUAL LAYER 2,4x/16x/8x/4x/48x/24x/16x/48x, ATAPI, BULK W516G	169,28	165,96
DVD-RW TEAC DVD-/+ R/RW DUAL LAYER 2,4x/16x/8x/4x/48x/24x/16x/48x, ATAPI, BULK W516G black	172,78	169,39
LG		
CD ROM LG 52X	41,64	40,81
CD ROM LG 52X black	42,32	41,50
CDRW LG 52X/32X/52X	63,65	62,42
CDRW LG 52X/32X/52X black	64,34	63,07
DVD ROM LG 16X/52X	65,02	63,75
DVD ROM LG 16X/52X black	65,02	63,75
COMBO LG 16x 52X32X52X	99,43	97,48
COMBO LG 16x 52X32X52X black	101,83	99,84
DVD-RW LG GSA-4165BB, DVD+/-R Dual Layer:16xDVD+R/-R 4xDVD+RDL 4xDVD-RDL 8xDVD+RW 4xDVD-RW 5xDVD-RAM 48xCD-R 32xCD-RW	145,52	142,68
DVD-RW LG GSA-4167BB, DVD+/-R Dual Layer:16xDVD+R/-R 6xDVD+RDL 4xDVD-RDL 8xDVD+RW 6xDVD-RW 5xDVD-RAM 48xCD-R 32xCD-RW Black Bulk	155,86	152,81
FAX MODEM - 1 an garantie		
EXTERN		
Fax modem SWEEX 56K extern USB	67,97	66,65
CARCASE - 1 an garantie		
Carcasa Midi Tower ATX 400W JNC SJA229	71,39	69,99
Carcasa Midi Tower ATX 400W JNC black RJA234	71,39	69,99
RETEA - ADAPTOARE - CABLURI - 1an garantie		
RETEA		
Placa de retea SWEEX 10/100MB Realtek PCI 2.2	13,60	13,32
Switch SWEEX 16 PORTURI	115,64	113,35
Switch ZIONCON 8 PORTURI	45,81	44,91
ADAPTOARE - CABLURI - ACCESORII		
Adaptor SWEEX FIREWIRE/PCI 3P+1P FB000010	41,49	40,69
Adaptor SWEEX LAN WIRELESS - USB, LC100050	93,17	91,32
Adaptor SWEEX USB - INFRARED, KB200010	66,29	65,00
Adaptor SWEEX PCI 1*PARALLEL - 2*SERIAL, FD000030	59,75	58,58
ADAPTOR INTERN HDD 2.5-3.5	29,05	28,49
Bluetooth Wireless Headset, 11g	130,11	
Hub OEM FIREWIRE 3p, FX100020	38,36	37,60
Cablu SWEEX UTP Cat5E 1M Grey	5,02	4,94
Cablu SWEEX USB A-male-A-female 1.8M Gold	9,79	9,59
Cablu SWEEX USB A - B 1.8M	2,21	2,17
Cablu SWEEX Adaptor USB PARALEL	45,46	44,58
Cablu SWEEX USB - SERIAL, KB100021	44,06	43,17
CABLU SERIAL 1.8M 9/25	6,78	6,66
CABLU PARALEL 1.8M	3,69	3,61
CABLU FTP CAT 5E	0,86	
CABLU UTP CAT 5E	0,62	

MUFE RJ 45 ECRANATE	0,48	
MUFE RJ 45	0,10	
MONITOARE - 3 ani garantie		
SPACE VIEW CRT		
17" SPACE View, 1280x1024@60Hz, 0.27mm, TCO 99, 775A	290,70	285,01
SAMSUNG CRT		
17"SAMSUNG793DF-0.20dp,1280x1024,30-70KHz,50-160Hz,110MHz,TCO03	366,22	359,04
17"SAMSUNG793DF-0.20dp,1280x1024,30-70KHz,50-160Hz,110MHz,TCO03,BLACK+SILVER	370,76	363,49
17"SAMSUNG794MB-0.20dp-FLAT,1280x1024,30-70KHz,50-160Hz,110MHz,TCO03	380,63	373,16
17"SAMSUNG795DF-0.20dp-FLAT,1600x1200,30-85KHz,50-160Hz,135MHz,TCO03	390,50	382,83
17"SAMSUNG795DF-0.20dp-FLAT,1600x1200,30-85KHz,50-160Hz,135MHz,TCO03,BLACK+SILVER	394,99	387,25
17"SAMSUNG796MB-0.20dp-FLAT,1600x1200,30-85KHz,50-160Hz,185MHz,TCO03	399,93	392,10
17"SAMSUNG797DF-0.20dp-FLAT,1920x1440,30-96KHz,50-160Hz,250MHz,TCO03	494,06	484,39
19"SAMSUNG 997MB -0.20 dp-FLAT, 1920x1440, 30-96 KHz, 50-160 Hz, 250 MHz, TCO 03, MAGIC BRIGHT	572,18	560,95
19"SAMSUNG959NF-0.24dp-FLAT,1920x1440,30-110KHz,50-160Hz,290MHz,TCO03	817,95	801,90
SAMSUNG LCD		
17"SAMSUNG 740N 1280x1024, 30-81 KHz, 160/160, 600:1, TCO 99, 8ms, Silver / Black	891,54	874,04
17"SAMSUNG 740N BLACK 1280x1024, 30-81 KHz, 160/160, 600:1, TCO 99, 8ms, Pivot, Black	944,54	926,00
17"SAMSUNG 740B 8 ms, DVI , 1280x1024, 600:1, 300 cd/?, 160/160, TCO 99, Pivot, Silver	977,04	957,90
17"SAMSUNG 750BF 8 ms, DVI ,1280x1024, 700:1, 300 cd/?, 160/160, TCO 99, Dual Hinge , Pivot, Silver	1027,20	1007,06
17"SAMSUNG 713BM 8 ms, DVI , 1280x1024, 600:1, 300 cd/?, 160/160, TCO 99, Pivot, BOXE , Silver	987,32	967,98
17"SAMSUNG 730BF 1280x1024, 30-81 KHz, 160/160, 600:1, TCO 99, DVI, 4ms G2G	1026,76	1006,62
19"SAMSUNG 913V 1280X1024, 30-81 KHz, 160/150, 600:1, TCO 99, 12 ms	986,07	966,73
19"SAMSUNG 913N 1280X1024, 30-81 KHz, 170/170, 800:1, TCO 99, 8 ms	1101,59	1080,00
19"SAMSUNG 940B 8 ms, DVI , 1280x1024, 700:1, 300 cd/?, 160/160, TCO 99, Silver	1206,80	1183,13
19"SAMSUNG 950B 8 ms, DVI ,1280x1024, 700:1, 300 cd/?, 160/160, TCO 99, Dual Hinge , Pivot, Silver	1279,14	1254,07
19"SAMSUNG 913TM 8 ms, DVI , 1280x1024, 1000:1 , 250 cd/?, 170/170, TCO 99, Pivot, BOXE , Silver	1460,43	1431,78
19"SAMSUNG 930BF 1280x1024, 30-81 KHz, 160/160, 700:1, TCO 99, DVI, 4ms G2G	1307,11	1281,47
BENQ LCD		
17" BENQ FP71G+ - 1280x1024, 0.264mm, 8ms	858,68	841,82
17" BENQ FP71GX Dual input, Res: 1280x1024, 0.264mm, 8ms(4ms GTG)	938,93	920,51
17" BENQ FP72g+D Dual input, Res: 1280x1024, 0.264mm, 8ms, 500:1 contrast	942,94	924,44
17" BENQ FP71E+ -1280x1024,Speaker,0.264mm,8ms TCO99	906,83	889,05
17" BENQ FP71V TFT - 1280x1024 - 8ms (4ms GTG) Contrast: 500:1 0.264mm 400cd/m TCO03 DVI/D-sub dual input Built-in Power supply Build-in speaker; Wall mounting	987,08	967,73
19" BENQ FP91G TFT - 1280x1024 - 12ms Contrast 450:1 0.294mm 250cd/m TCO03 DVI/D-sub dual input Built-in Power Supply; Kensington lock; Wall mounting;	1091,40	1070,01
19" BENQ FP91G+ Dual input, 1280x1024,0.294mm,8ms, 550:1 contrast	1211,78	1188,02
19" BENQ FP91V TCO03, TFT, 1280x1024, 0.294mm,8ms, 500:1 contrast	1320,11	1294,23
19" BENQ FP91V+ TCO03, TFT, 1280x1024, 0.294mm,8ms	1504,69	1475,20
SWEEX - Tastaturi & Mouse		
TASTATURI SIMPLE		
Tastatura SWEEX OEM EX000010	10,15	9,95
Tastatura SWEEX SW10 EA000010	12,44	12,20
TASTATURI MULTIMEDIA		
Tastatura SWEEX OFFICE LINE SW33 EA220110	33,87	
Kit Tastatura OEM RF+Mouse EX002010	35,63	
Kit SWEEX Wireless Tastatura+Mouse Optic EA250010	60,03	58,86
MOUSE OPTIC		
Mouse SWEEX OPTIC SMALL SIZE USB CU CABLU RETRACTABIL DA100060	27,61	27,08
MOUSE SWEEX OPTIC SILVERLINE OEM USB DX000100	16,97	16,65
MOUSE WIRELESS		

Mouse SWEEX SCROLL OPTIC WIRELESS DA300030	32,22	31,58
LOGITECH		
MOUSE LOGITECH CORDLESS	34,11	
WEBCAM - 1 an garantie		
Webcam SWEEX 100k USB cu microfon JA000050	57,74	
Webcam SWEEX 300k USB cu microfon JA000060	71,62	
MEDII OPTICE		
DVD+R 4X, 4.7GB, Budget, 50buc / shrink	2,45	
DVD-R 8X, 4.7GB, Scribbles Limited Edition by Datawrite, 100buc / cake box	2,61	
DVD+R 4X, 4.7GB, Jet, in plic, ambalate 27buc / display box	2,89	
CD-R 52X, 700MB/80 min. Sigma, 100buc / shrink	1,52	
ACCESORII JOCURI		
Volan + pedale Serious SRXW-02V, Dual Vibration, 10 butoane, USB	61,12	
Volan + pedale Serious SRXW-08V, Dual Vibration, 8 butoane, USB	90,05	
Gamepad Serious SRXJ-03, 8 directii, 8 butoane + Turbo, USB	16,61	
CAMERE DIGITALE SAMSUNG - 1 an garantie		
DIGIMAX A402 4,0 Mpixel, ZOOM Digital 4X, 16MB internal memory, SD Card, LCD 1,8", culori silver, black, red	393,35	385,64
DIGIMAX A502 5,0 Mpixel, ZOOM Digital 5X, 16MB internal memory, SD Card, LCD 1,8", culori silver, black, red	475,16	465,85
DIGIMAX A400 4,0 Mpixel, ZOOM 11X (Optic 2,8X / Digital 4X),16 MB Internal Memory, SD Card, 5 cm Macro	514,20	504,13
DIGIMAX A50 5,0 Mpixel, ZOOM 15X (Optic 3X / Digital 5X),SD Card, LCD 2,5"	604,24	592,41
DIGIMAX A5 5,0 Mpixel, ZOOM 12X (Optic 3X / Digital 4X), 16MB internal memory,SD Card / MMC, LCD 1,8", 4cm Macro	643,69	631,05
DIGIMAX U-CA5 5,0 Mpixel, ZOOM 15X (Optic 3X / Digital 5X), SD Card / MMC, LCD 1,8", 4cm Macro, culori silver, blue, red	766,59	751,54
DIGIMAX A55W 5,0 Mpixel, ZOOM 24X (Optic 4,8X / Digital 5X), SD Card, LCD 2,5", 2cm Macro	754,67	739,86
DIGIMAX A6 6,0 Mpixel, ZOOM 12X (Optic 3X / Digital 4X), 32MB internal memory,SD Card / MMC, LCD 1,8", 4cm Macro	699,58	685,86
DIGIMAX L50 5,0 Mpixel, ZOOM 11,2X (Optic 2,8X / Digital 4X), SD Card, LCD 2,5" 230K	930,98	912,72
DIGIMAX L55W 5,0 Mpixel, ZOOM 24X (Optic 4,8X / Digital 5X), SD Card, LCD 2,8" Wide	1090,08	1068,69
DIGIMAX V700 7,1 Mpixel, ZOOM 30X (Optic 3X / Digital 10X), SD Card (32MB), Video Out, LCD 2", 4cm Macro	981,14	961,92
CAMERE DIGITALE BENQ - 1 an garantie		
DC-C51 5M Pixel with CCD sensor; 3x optical zoom, 2"LCD, AA Battery	473,48	464,21
DC-C60 6M Pixel with CCD sensor; 3x optical zoom, PASM mode for operation, Li-ion battery and metal casing. 2" LCD size.	678,11	664,83
DC-E53+, 4M pixels, 3x optical, 2,5" LCD, slim	650,03	637,27
DC-E300 3M pixel with CMOS sensor, 1.5 LCD size, Slim 24mm body, AA Battery	232,73	228,15
DC-E41 red 4M pixel with CCD sensor; 4x digital zoom. 2" LCD with touch panel screen with UI operation. Li-ion DRM system. 8MB memory embedded with SD slot.	445,39	436,64
DC-E510, 5M pixels, PENTAX lens, CCD, 2 Lcd touch screen	686,14	672,70
DC-E43, 4M pixels, 3x optical, 2 LCD, slim	629,96	617,60
DC-C420, 4M pixels, CCD, 3x optical, 1.8 LTPS LCD, 27mm	393,23	385,52
DC-C520, 5M pixels, CCD, 3x optical, 2 LTPS LCD, 27mm	453,41	444,50
CAMERE DIGITALE & VIDEO CANON - 1 an garantie		
Canon Power Shot A520(4Mpixeli, Zoom optic 4x, Zoom interpolat 14x, luminozitate f/2.6-5.5, distanta focala 5.8-23.2mm (35-140mm echivalent film 35mm), 9 puncte de focalizare AIAF, procesor de imagine ultra-rapid Canon DIGIC, buton Print/Share, Memorare secvente video cu sunet (max 3min), Multi Media Card 16 Mb standard (medii de stocare: SD si MMC, ID Photo Print & Movie Print, flash, Ecran LCD color 1,8", Interfata: USB)	675,42	662,18

Canon Power Shot A610 (5 Mpixeli, Zoom optic 4x, Zoom digital 4x, luminozitate f/2.8-4.1, 9 puncte de focalizare AIAF, procesor de imagine ultra-rapid Canon DIGIC II, ISAPS technology (imbunatateste expunerea), distanta focala 7.3-29.2mm (35-140mm echivalent film 35mm) buton Print/Share, Memorare secvente video pana la 1Gb, SD Card 32Mb standard, ID Photo Print & Movie Print, flash, Ecran LCD color rabatabil 2", Interfata: USB 2.0, iesire AV PAL/NTSC, compatibil cu noul standard tiparire directa Pictbridge si DirectPrint)	1063,23	1042,37
Canon Power Shot A620 (7,1 Mpixeli, Zoom optic 4x, Zoom digital 4x, luminozitate f/2.8-4.1, 9 puncte de focalizare AIAF, procesor de imagine ultra-rapid Canon DIGIC II, ISAPS technology (imbunatateste expunerea), distanta focala 7.3-29.2mm (35-140mm echivalent film 35mm) buton Print/Share, Memorare secvente video pana la 1Gb, SD Card 32Mb standard, ID Photo Print & Movie Print, flash, Ecran LCD color rabatabil 2", Interfata: USB 2.0, iesire AV PAL/NTSC, compatibil cu noul standard tiparire directa Pictbridge si DirectPrint)	1324,49	1298,53
Canon Digital IXUS i5 (5MPixeli, procesor nou de imagine ultra-rapid Canon DIGIC cu tehnologie iSAPS, Auto Focus AiAF cu 9 puncte de masurare, Obiectiv: 39mm f/2.8, Zoom Digital 6,5x, 0,9 cadre / secunda, 32 Mb SECURE DIGITAL (SD) Card, Memorare secvente video cu sunet, Format JPEG compatibil EXIF PRINT 2.2, flash, Ecran TFT 1,5" color; Interfata: USB I/F, iesire AV PAL/NTSC, baterie LiOn si incarcator standard)	1132,65	1110,46
Canon Digital IXUS 40 (4.0 Mpixeli, Zoom optic 3x, Zoom interpolat 11x, obiectiv 5,8-17,4 mm (echivalent in cazul unui film de 35mm cu 35-105 mm), luminozitate f/2.8-4.9, 9 puncte de focalizare AIAF, procesor de imagine ultra-rapid Canon DIGIC, Memorare secvente video cu sunet (max 3min), Secure Digital Card 16 MB standard, ID Photo Print / Movie Print, buton Print/Share, flash, Ecran LCD color 2.0". Interfata: USB, iesire AV PAL/NTSC, compatibil cu noul standard tiparire directa Pictbridge si DirectPrint)	984,87	965,57
Canon Digital IXUS 50 (5.0 Mpixeli, Zoom optic 3x, Zoom interpolat 12x, obiectiv 5,8-17,4 mm (echivalent in cazul unui film de 35mm cu 35-105 mm), luminozitate f/2.8-4.9, 9 puncte de focalizare AIAF, procesor de imagine ultra-rapid Canon DIGIC, Memorare secvente video cu sunet, Secure Digital Card 16 MB standard, ID Photo Print / Movie Print, buton Print/Share, flash, Ecran LCD color 2.0". Interfata: USB, iesire AV PAL/NTSC, DirectPrint , baterie LiOn si incarcator standard)	1150,42	1127,87
Canon DM-MV830i (Camera video Digitala MiniDV, CCD 800.000 pixeli, ZoomOptic 20x, Zoom Digital 400x, Ecran color LCD 2.4", Mod inregistrare LP, Stabilizator de imagine, Focus Manual si Automat, Luminozitate minima 2 Lux, Efecte digitale, buton captura foto (1024x768 simultana cu filmarea), memorie Multimedia Card & Secure Digital Card, movie JPEG recording, autonomie max. 5h. Interfete : USB (Direct Print compatibil Pictbridge), Analog AV In/Out (convector Analog-Digital). Telecomanda & Cablu USB standard, Acumulator Li-Ion si incarcator incorporat standard, greutate 430g)	1516,73	1486,99
Canon DM-MV850i (Camera video Digitala MiniDV, CCD 800.000 pixeli, ZoomOptic 22x, Zoom Digital 440x, Ecran color LCD 2.4", Mod inregistrare LP, Stabilizator de imagine, Focus Manual si Automat, Luminozitate minima 0 Lux, SuperNight Mode, Efecte digitale, buton captura foto (1024x768 simultana cu filmarea), memorie Multimedia Card & Secure Digital Card, movie JPEG recording, autonomie max. 5h, build-in video light. Interfete : USB (Direct Print compatibil Pictbridge), Analog AV In/Out (convector Analog-Digital). Telecomanda & Cablu USB standard, Acumulator Li-Ion si incarcator incorporat standard, greutate 430g)	1682,28	1649,30
BOXE SWEEEX - 1 an garantie		
SWEEEX - 1 an garantie		
Boxe SWEEEX OEM 150W silver	13,36	13,08
Boxe SWEEEX Subwoofer 440W	25,16	24,68
US Blaster 2.1 speaker UA000110	151,67	148,70
US Blaster MM2000 5.1 UA000200	727,99	
US Blaster MM2000-D 5.1 OPTICAL UA000210	1103,32	
CREATIVE - 2 ani garantie		
Inspire P380 , 2X6w speakers, 1X17W subwoofer ,40hz	147,99	145,07
Inspire T3000 , 2X6w RMS speakers, 1X17W RMS subwoofer ,40hz with Tweeter Retail	158,57	155,45
Inspire 5.1 P5800 - 8w X 4+ 18w(SAT) 22w (SUB) 40Hz-20kHz , wired control, wooden SUB, Retail	288,95	283,30
CASTI CU MICROFON si MP3 PLAYER SWEEEX - 1 an garantie		
Casti cu microfon SWEEEX USB360	26,08	
Casti cu microfon SWEEEX USB370	18,70	
Casti cu microfon SWEEEX USB380	10,67	
Casti cu microfon SWEEEX USB390	12,52	

Sweex MP3 Player Bermuda 1Gb	356,71	
IMPRIMANTE - 1an garantie		
CANON		
Canon PIXMA iP1500 A4, Color, 18ppm A/N, 13 ppm color, 4800x1200dpi	176,47	173,01
Canon PIXMA iP1600 A4, Color, 19ppm A/N, 16 ppm color, 4800x1200dpi	200,75	196,81
Canon PIXMA iP4200 A4, Color, 29ppm A/N, 19 ppm color, pana la 9600x2400dpi	405,26	397,32
SOFT		
Microsoft OEM		
Microsoft Windows 98 Second Edition	314,60	
Microsoft Win XP Home Edition English SP2 3pk	300,76	
Microsoft Win XP Home Edition English SP2 1pk	302,51	
Microsoft Windows XP Professional RO/ENG 3pk	484,02	
Microsoft Windows XP Professional RO/ENG 1pk	485,73	
Office 2003 Basic Edition Win32 English w/SP1 3pk (Word 2003, Excel 2003, Outlook 2003)	663,78	
Office 2003 Basic Edition Win32 English w/SP1 1pk (Word 2003, Excel 2003, Outlook 2003)	665,52	
Office 2003 Small Business Edition Win32 English w/SP1 3pk (Word 2003, Excel 2003, Outlook 2003, PowerPoint 2003, Publisher 2003, Business Contact Manager)	860,86	
Office 2003 Small Business Edition Win32 English w/SP1 1pk (Word 2003, Excel 2003, Outlook 2003, PowerPoint 2003, Publisher 2003, Business Contact Manager)	862,57	
Office 2003 Small Business Edition Win32 Romanian 3pk (Word 2003, Excel 2003, Outlook 2003, PowerPoint 2003, Publisher 2003, Business Contact Manager)	860,86	
Office 2003 Small Business Edition Win32 Romanian 1pk (Word 2003, Excel 2003, Outlook 2003, PowerPoint 2003, Publisher 2003, Business Contact Manager)	862,57	
Office Small Business XP Win32 Romanian w/SP2	898,87	